



KRAMER

Audio Video Display System (AVDS)

Computer Graphics Video & Mono Audio
over Twisted Pair Broadcaster, Splitter &
Receiver



The Audio Video Display System is a distribution system for computer graphics video up to 1080p and mono audio signals. The system, including a broadcaster, splitter and receivers, can distribute input signals over CAT 5 cable to hundreds of displays

FEATURES

System Range - 110m (360ft)

HDTV Compatible

Max. Resolution - 1080p

Local PC Input - On remote for classroom control applications

Out-of-band System - Frees network from heavy image transfer

Single CATx Cable

No Player or Computer Needed at Display End

Optional Remote On/Off Screen Control



KRAMER

TECHNICAL SPECIFICATIONS

| | |
|------------------------|--|
| COMPONENTS: | 8-port broadcaster/transmitter, Line splitter, Remote power or remote long receivers for each display device |
| MAX. RESOLUTION: | HDTV 1080p, 1920x1080 @60Hz (depending on cable length) |
| SYSTEM CABLE: | CAT 5/5e/6/7 shielded FTP/UTP 2x4x24AWG solid wire cable, Power remote can work with UTP cable |
| MAX. RANGE: | 110m (360ft) @720p |
| AUDIO: | Mono |
| OPERATING TEMPERATURE: | 5° to 40°C (41° to 104°F) |
| STORAGE TEMPERATURE: | -40° to 70°C (-40° to 158°F) |
| WARRANTY: | 3 years |
| Product Dimensions | 17.40cm x 7.70cm x 4.10cm (6.85" x 3.03" x 1.61") W, D, H |
| Product Weight | 0.6kg (1.3lbs) approx |
| Shipping Dimensions | 25.00cm x 25.50cm x 5.50cm (9.84" x 10.04" x 2.17") W, D, H |
| Shipping Weight | 1.4kg (3.2lbs) approx |



CONFIGURATIONS

AVDS-RP

Minicom AVDS CAT5 Audio Video Display Power Remote

