



KRAMER

CP-4LC/4LC

4 LC Fiber Optic Cable - Plenum Rated



Kramer's 4LC fiber optic cables are constructed of four color coded multi-mode 50/125um simplex cables of 2.0mm (0.079in) diameter each, contained in a round overall orange jacket. They are intended primarily as companion to various Kramer detachable transmitter/receiver sets

FEATURES

Quality Construction - Multimode optical fiber with an operating wavelength of 850nm. Sub-cables are color coded: red, green, blue and orange, terminated with the popular LC connectors for easy installation and are shipped with dust caps at the ends

Numerous Applications - Use these cables to connect our optical transmitter and receivers for DVI and HDMI, such as: 610R/T & 621R/T

Varied Selection of Lengths - Available in versions of 75, 99 & 150ft (23-45m)



KRAMER

TECHNICAL SPECIFICATIONS

FIBER:	Multimode 50/125 μ m optical fiber
FIBER CORD:	PVC (OFNR) 2.0 x 4
OUTER DIAMETER:	7.0mm (0.275in), orange
OPERATING WAVELENGTH:	850nm
INSERTION LOSS:	0.3dB
TEMPERATURE:	-40° to 80°C (-40° to 176°F)



KRAMER

CONFIGURATIONS

CP-4LC/4LC-75	4 LC (M) to 4 LC (M) Plenum Fiber Optic Cable
---------------	---

CP-4LC/4LC-150	4 LC (M) to 4 LC (M) Plenum Fiber Optic Cable
----------------	---
